

3736
JFW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: MANNING et al. Examiner: Foreman, J.
Serial No.: 10/041,911 Group Art Unit: 3736
Filed: January 7, 2002 Docket No.: GUID.038US01
(01-105)

Title: STEERABLE GUIDE CATHETER WITH PRE-SHAPED
ROTATABLE SHAFT

CERTIFICATE UNDER 37 CFR 1.8: The undersigned hereby certifies that this correspondence and the papers, as described hereinabove, are being transmitted via facsimile-Formal Entry, to the attention of the Examiner at Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on August 3, 2004.

w/return postcard

By:

Kelly S. Waltigney

**DUPLICATE OF RESPONSE AND AMENDMENT IN
OFFICE ACTION FILED BY FACSIMILE
ON JULY 13, 2004.**

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir/Madam:

Enclosed please find a DUPLICATE COPY of the OFFICE ACTION RESPONSE AND AMENDMENT in patent application serial no. 10/041,911 as was filed by facsimile (PTO Central Facsimile No. 703-872-9306) on July 13, 2004. This Paper was filed within three-months of the Office Action, date of mailing 4/13/2004.

This communication is responsive to the examining division's telephonic notice, that only the first sheet of the aforementioned Response is viewable in the USPTO imaged records. At the request of Ms. Ruby Johnson, Group 3700, a duplicate facsimile of this Paper was sent on July 29th to (703) 746-3424, however, we understand that the same technical problem resulted.

Therefore, in an abundance of caution, the undersigned attorney of record is providing a duplicate copy of the aforementioned Response and Amendment Paper July 13, 2004 by U.S. Postal Service, and requests that the attached copy be entered and accorded its original transmission date of 7-13-2004, as

evidenced by the executed certificate of transmission under 37 C.F.R. § 1.8 and the facsimile confirmation of receipt of initial transmission included herewith.

A return postcard is attached for our additional records.


No additional fees or extensions should be incurred by the submission of this DUPLICATE Paper 7/13/2004, apart from those fees authorized by the previously filed Paper. However, should it be deemed necessary, authorization is given to charge/credit Deposit Account 50-0996 (GUID.038US01) additional fees as required by this resubmission.

A call is invited to the undersigned attorney, should any questions remain in this matter.

Respectfully submitted,
Crawford Maunu PLLC
1270 Northland Drive, Suite 390
St. Paul, MN 55120
(651) 686-6633 x104

Date: August 2, 2004

By:


Mark A. Hollingsworth
Reg. No. 38,491

Attached:

Duplicate Paper 7/13/2004 w/facsimile confirmation.

Appendix: Receipt confirmation of duplicate transmission 7/29/2004.



Duplicate

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	MANNING et al.	Examiner:	Foreman, J.
Serial No.:	10/041,911	Group Art Unit:	3736
Filed:	January 7, 2002	Docket No.:	GUID.038US01 (01-105)
Title:	STEERABLE GUIDE CATHETER WITH PRE-SHAPED ROTATABLE SHAFT		

CERTIFICATE UNDER 37 CFR 1.8: The undersigned hereby certifies that this correspondence and the papers, as described hereinabove, are being transmitted via facsimile-Formal Entry, to the attention of the Examiner at Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on July 13, 2004.

12 Total Pages.
Facsimile No.: 703-872-9306

By: *Kelly S. Waltigney*
Kelly S. Waltigney

OFFICE ACTION RESPONSE AND AMENDMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

In response to the non-final Office Action dated April 13, 2004, please consider the following amendment and remarks. The amendments to the claims are presented in accordance with the "revised format" of 37 C.F.R. § 1.121.

Authorization is herewith given to charge **Deposit Account 50-0996 (GUID.038US01) \$198.00** for 11 additional dependent claims, with further authorization to charge/credit said Deposit Account to complete this filing

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper.

Remarks/Arguments begin on page 9 of this paper.